

| Cardiovascular | |
|--|---|
| I50.9 | Heart Failure Unspecified (if stage B pre-hf consider title descriptor "ACC/AHA Stage B HF (pre-heart failure)") |
| I50.84 | End Stage Heart Failure (Consider documentation of stage D or end stage heart failure if not clearly stated in title descriptor) |
| I27.20 | Pulmonary Hypertension |
| I48.0 I48.91 | Paroxysmal Atrial Fibrillation Atrial Fibrillation, Unspecified |
| I44.2 | Complete AV block (consider presence of pacemaker, if applicable) |
| I49.5 | Sick Sinus Syndrome (consider presence of pacemaker, if applicable) |
| Diabetes | |
| E11.69 | T2DM with Other Complications (document also the complication such as Hyperlipidemia, Morbid Obesity, NAFLD, ED, etc.) |
| E11.A | T2DM in Remission (A1c<6.5 for >3mo, No meds, & No complications) |
| E11.42 | T2DM with DM Polyneuropathy |
| Circulatory | |
| E11.51 | T2DM with Peripheral Angiopathy |
| I70.2xx | Atherosclerosis of Extremities (specify site/complication) |
| I70.22x | Atherosclerosis of Extremities w/ Rest Pain |
| I70.23x I70.24x | Atherosclerosis of Extremities w/ Ulcer (Rt leg Lt leg) (also document for ulcer site/severity) |
| I82.40x I82.5xx | Acute DVT Chronic DVT (specify site) (Use clinical judgement on when to change from acute to chronic, consider calcifications on imaging) |
| I26.99 I27.82 | Acute PE Chronic PE |
| Respiratory | |
| J44.9 | Chronic Obstructive Pulmonary Disease, Unspecified |
| J44.89 | Other Specified Chronic Obstructive Pulmonary Disease |
| J43.9 | Emphysema, Unspecified (CT imaging supports diagnosis) |
| J42 | Chronic Bronchitis (CT imaging supports diagnosis) |
| J84.10 J84.112 | Pulmonary Fibrosis, Unspecified Idiopathic Pulmonary Fibrosis (CT imaging supports diagnosis) |
| J45.50 | Severe Persistent Asthma |
| J47.9 | Bronchiectasis (CT imaging supports diagnosis) |
| J96.10 J96.11 | Chronic Respiratory Failure, Unspec Chronic hypoxemic respiratory failure |
| Neurology | |
| Z86.73 | Personal h/o CVA without Residual Deficits (I63.9, Acute CVA, should not be reported in the outpatient setting) |
| I69.35x | Hemiplegia/Paresis following Cerebral Infarction |
| I69.33x | Monoplegia of UE, following Cerebral Infarction |
| I69.34x | Monoplegia of LE, following Cerebral Infarction |
| G20.xx | Parkinson's Disease |
| G82.2x G82.5x | Paraplegia Quadriplegia |
| R53.2 | Functional Quadriplegia (dependent on others for allADLs) |
| G91.2 | (Idiopathic) Normal Pressure Hydrocephalus (iNPH) |
| G30.9 | Alzheimer's (Consider documentation of behavioral disturbance, if appropriate) |
| F01.xxx | Vascular Dementia |
| F02.xxx | Dementia in Other Diseases (also document the underlying condition) |
| F03.xxx | Unspecified Dementia |
| F10.27 | Alcohol Related Dementia (consider documentation of alcohol abuse/dependence when applicable) |
| R56.9 | Seizures NOS |
| G40.909 | Epilepsy, Unspecified, not Intractable, without Status Epilepticus |
| Ostomies and Amputations | |
| Z93.3 | Colostomy |
| Z93.59 | Other Cystostomy Status (e.g., suprapubic catheter) |
| Z93.50 | Cystostomy Unspecified |
| Z93.2 | Ileostomy Status |
| Z93.1 | Gastrostomy Status |
| Z93.0 | Tracheostomy Status |
| Z93.6 | Other Artificial Openings of Urinary Tract Status (nephrostomy) |
| Z89.4xx .5xx .6xx | Amputation of Toes, Foot, Ankle Lower Limb (below knee) Lower Limb (above knee) |
| G54.7 | Phantom Limb Syndrome, NOS |
| T87.x | Complication of Amputation Stump (specify the complication) |
| Note: Do not report history/reversal of artificial openings. | |
| Ophthalmology | |
| E11.3xx | T2DM with Retinopathy (specify proliferative/non-proliferative, severity and with or without macular edema) |
| H34.81x .83x | Central Retinal Vein Occlusion Tributary Retinal Vein Occlusion (specify laterality and presence of macular edema or neovascularization) |
| H35.32xx | Exudative Macular Degeneration |
| H43.1x | Vitreous Hemorrhage |

| Chronic Kidney Disease | |
|---|---|
| E11.22 | T2DM with CKD (document also the CKD stage) |
| N18.31 N18.82 | Stage 3a eGFR 45-59 Stage 3b eGFR 30-44 |
| N18.4 | Stage 4 eGFR 29-15 |
| N18.5 N18.6 | Stage 5 eGFR < 15 ESRD eGFR < 15 (code also Z99.2 dialysis status / presence of AV fistula, if applicable) |
| Morbid (Severe) Obesity | |
| E66.01 | Morbid (Severe) Obesity (BMI ≥40 or ≥35 with Obesity-Related Comorbid conditions (if BMI ≥35-39.9, also document the comorbidity related to morbid obesity) |
| Hematology | |
| D69.49 | Primary Thrombocytopenia |
| D47.3 | Essential (primary) Thrombocythemia (typically oncology related dx) |
| D68.69 | Secondary Hypercoagulable State NOS (on anticoagulant, code also underlying condition, e.g., afib, chronic DVT, etc.) |
| Dermatology | |
| D86.3 | Sarcoidosis of Skin (about 25% of sarcoid has skin manifestations) |
| D86.86 | Sarcoid Arthropathy |
| D86.87 | Sarcoid Myositis |
| Ulcer vs Wound | |
| A "wound" is caused by external force. An "ulcer" is caused by an internal problem and refers to a break in the skin that fails to heal as it should and is chronic in nature. Note: Ulcer severity must be specified. "Unstageable" is typically due to Eschar formation. | |
| E11.62x | T2DM with skin complication (ulcer) (document also site/severity of ulcer) |
| L89.xxx | Pressure Skin Ulcer |
| L97.xxx | Non-Pressure (chronic) Skin Ulcer Lower Extremity |
| L98.4xx | Non-Pressure (chronic) Skin Ulcer Buttocks, Back or Other Sites |
| Psychiatry | |
| F32.0 F32.x** | Major Depressive Disorder, Single Episode ! Symptom severity or remission status specificity is required |
| F33.0 F33.4x** | Major Depressive Disorder, Recurrent Episode ! Symptom severity or remission status specificity is required |
| F31.9 | Bipolar Disorder |
| F10.20 10 | Alcohol Dependence abuse (use final digit of 1 to specify remission status) |
| F11.20 10 | Opioid Dependence abuse (use final digit of 1 to specify remission status) |
| F13.20 10 | Sedative Dependence abuse (use final digit of 1 to specify remission status) |
| F50.0x F50.2 | Anorexia Nervosa (specify type if known) Bulimia nervosa |
| Rheumatology | |
| M32.9 | Systemic Lupus Erythematosus, Unspecified (SLE) |
| M06.9 L40.50 | Rheumatoid Arthritis Psoriatic Arthritis, Unspecified |
| M34.9 M34.81 | Systemic Sclerosis, Unspecified Systemic Sclerosis with Lung Involvement |
| M45.x | Ankylosing Spondylitis (specify spinal region(s)) |
| Gastroenterology | |
| K70.1x | Alcoholic Hepatitis (specify with or without ascites) |
| K70.30 | Alcoholic Cirrhosis w/o Ascites (consider documentation of alcohol abuse/dependence when applicable) |
| K74.60 | Cirrhosis Unspecified |
| K72.90 | Liver Failure |
| K75.4 | Autoimmune Hepatitis |
| K73.9 | Chronic Hepatitis, Unspecified |
| B18.x | Chronic Viral Hepatitis (specify type) |
| K86.1 | Chronic Pancreatitis (Often seen as pancreatic calcifications on MRI) |
| K50.90 | Crohn's Disease |
| K51.90 | Ulcerative Colitis, Unspecified, w/o Complications (includes non-infective inflammatory bowel disease) |
| Oncology | |
| Documentation must support solid tumor cancer as an active diagnosis by identifying planned or active treatment (neoadjuvant, primary, adjuvant), active surveillance of the tumor (watchful waiting), or patient refusal of initial treatment. Reporting presence of active secondary solid tumor cancer (metastasis) takes precedence over primary tumor as this demonstrates severity of disease. An active diagnosis of blood cancer must be supported by identifying planned or active treatment or ongoing monitoring of disease. | |
| C00-C75 | Primary Solid Tumor Cancer (specify site) |
| C77-C79 | Secondary Malignant Neoplasm (Metastasis) Diagnose by location of mets (specify site) |
| C81-C96 | Blood Cancers (specify remission status) |
| D3A.0xx | Benign Carcinoid Tumor |
| D35.2 D32.9 | Pituitary Adenoma Benign Meningioma |
| I31.31 | Malignant Pericardial Effusion (document also underlying neoplasm) |
| R18.0 | Malignant Ascites (document also underlying malignant neoplasm) |
| J91.0 | Malignant Pleural Effusion (document also underlying neoplasm) |